
This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS								
REV	DESCRIPTION	DATE	INITIAL	APPROVED				
Α	CH'D -3 ENGRAVE NOTES PER R.W.	5/6/11	RJC	RW				
В	CH'D TOOL NAME WAS DRIVE QUILL LIP SEAL REMOVER IS TOOL, PUMP 1-2-3 DRIVE	11/1/13	RJC	RW				
	QUILL LIP SEAL REMOVAL TO MATCH PARTS MANUAL.							



## ASSEMBLY

## **NOTES**

TITLE


1. ALSO SOLD WITH KIT RBW6305G01531-3G, BOX ONE RBW6305G19631-3G.


RED BARN MACHINE TOOL, PUMP 1-2-3 DRIVE QUILL

## LIP SEAL REMOVER DWG NO. REV B RBW6305G17631-3G UNLESS OTHERWISE SPECIFIED DRAWN BY: CLDUGH DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS METRIC REF. APPROVED D Weil METRIC REF. .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 FINISH B/O INFORMATION OR SPECIFICATIONS ASSY ASSY B/O PART # Pg. ANGLES ±.5° DESCRIPTION MATERIAL UNLESS OTHERWISE SPECIFIED HANDLE 6061 RND. BAR Ø1-5/8 x 6-7/8 2 1. BREAK ALL SHARP EDGES USED ON MODEL .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING AW139 -3 RECIEVER 6061 RND. BAR Ø4 x 2-3/16 3 SCALE NTS DATE 2-3-11 SHEET 1 of

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


	REVISIONS								
REV	DESCRIPTION	DATE	INITIAL	APPROVED					





(-1)

**HANDLE** 



UNLESS OTHERWISE SPECIFIED | DRAWN BY: CLITTIGH

ONLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES

TOLERANCES ON:
DECIMALS

XXX ± .005

XXmm ± .1mm

XX ± .01

FRACTIONS ± 1/32

X ± .1

ANGLES ± .5°

UNLESS OTHERWISE SPECIFIED

X ± .1 ANGLES ±.5"

UNLESS OTHERWISE SPECIFIED

1. BREAK ALL SHARP EDGES
0.15 x 45" PR. 0.15 R

2. DIMENSIONAL LIMITS APPLY AFTER PLATING

SCALE NIT C DATE

DATE

O

DRAWN BY: CLOUGH

APPROVED D Well

HEAT

FINISH CLEAR ANODIZE

SPEC MIL-A-8625F, TYPE II, CLASS I

USED ON MODEL


.015 x 45° PR .015 R AW139


IMENSIONAL LIMITS APPLY AFTER PLATING AW139

NTS DATE 2-3-11 SHEET 2 of 3

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

	REVISIONS							
-	REV	DESCRIPTION	DATE	INITIAL	APPROVED			
F	Α	CH'D -3 ENGRAVE NOTES PER R.W.	5/6/11	RJC	RW			





TITLE

SECTION A-A

(-3)

RECEIVER

® RED BARN MACHINE

TOOL, PUMP 1-2-3 DRIVE QUILL LIP SEAL REMOVER

| DWG NO. RBW6305G17631-3G-3 | F

± .1 ANGLES ±.5°

UNLESS OTHERWISE SPECIFIED

1. BREAK ALL SHARP EDGES

0.15 x 45° PR .015 R

2. DIMENSIONAL LIMITS APPLY AFTER PLATING

FINISH

SPEC MI

DRAWN BY:

APPROVED

FINISH CLEAR ANDDIZE

SPEC MIL-A-8625F, TYPE II, CLASS I

CLDUGH

D Weil

USED ON MODEL
AW139

SCALE NTS DATE 2-3-1

SHEET 3 of